

Fig.




Fig. 2

AMENDED SHEET

00133766-001398




Fig. 3




Figure 4

AMENDED SHEET

00133766-001298

TABLE 1

Clone	Ligand	$K_d$ (nM)	Receptors/cell ( $\times 10^{-3}$ )	N
RBL-2H3 (9)	HgE	nb	0	>10
	HgE (A)	$14.0 \pm 0.4$	$10.8 \pm 0.7$	3
	HgE (B)	$13.5 \pm 0.2$	$10.7 \pm 0.8$	2
RBL-2H3 (10)	HgE	nb	0	>10
	HgE (A)	$12.7 \pm 0.4$	$8.3 \pm 0.5$	3
	HgE (B)	$13.8 \pm 0.7$	$8.1 \pm 0.8$	2
153VC	HgE	$2.3 \pm 0.03$	$2.2 \pm 0.04$	2
	HgE	$15.1 \pm 0.8$	$17.3 \pm 0.4$	2
H 2720	HgE	$2.2 \pm 0.04$	$1.0 \pm 0.1$	2
	HgE	$10.4 \pm 0.5$	$11.0 \pm 0.8$	2
H 771A	HgE	2.4	0.7	1
	HgE	$14.0 \pm 0.8$	$0.1 \pm 0.8$	2

Table 2

Antigen	Mediators Measured		
	5-HT	Protease	$\beta$ -Hexosaminidase
Venoms, bee/wasp (1% suspensions)	++++	+++++	++++
Phospholipase A2 (bee venom), 1 $\mu$ g/ml	+	+	+
Phospholipase C ( <i>R. corynor</i> )	++++	++++	ND
House Dust Mite extracts, (freshly prepared) 1% suspensions	+++	+++	ND
House Dust Mite extracts, commercial source, 1% suspensions	-	+/	ND
Condom extract (1:400) ( <i>Herpes brucei</i> )	++	++	ND
Aspirin (25mg/ml)	+++	+++	ND
Influenza virus (5% suspension)	+	+	ND
Herpes simplex virus (5% suspension)	+	+	ND

AMENDED SHEET

001336-04199  
000000-990000